



Holding magnet for locking double leaf door.

Surface mounting version with hall effect sensor.

Version with hall effect sensor: magnet contains a contact for locking status monitoring (hall effect sensor). The optical locking indicator is an LED which is visible from outside.

#### Overview of Advantages

- With lock monitoring

#### Accessories/Individual parts

- Mounting bracket MAGAC-L500L-shaped; for double maxi-magnets, in aluminium MAGAC-L500D---1
- Mounting bracket MAGAC-Z500Z-shaped; for double maxi-magnets, in aluminium MAGAC-Z500D---1
- Mounting plate MAGAC-M500For fixing holder strike plates from the 5000 N series MAGAC-M500-----

#### Scope of delivery

- Holding magnet with counter plate

#### Note

- A contact is integrated in the magnet for lock monitoring (hall sensor).
- Two mounting brackets/mounting plates should be ordered for each magnet.

#### Technical data

Holding power	2 x 5000 N
Surface housing	Aluminium
Length	533 mm
Width	71 mm
Depth	40 mm
Hall sensor	Yes
Rated current consumption 12 V DC	500 mA
Rated current consumption 24 V DC	250 mA
Input operating voltage	12 or 24 V DC

Article number	MAGDN5000ALS-HD
EAN-Number	4042203425583

